



BioAg Cherry Blend

(3-3-2-2)

	%	1.3T	1.45T	1.6T	1.8T	2.0T
N (kg)	3.00	39.0	43.5	48.0	54	60.0
P (kg)	3.31	43.0	48.0	52.9	59.5	66.2
K (kg)	1.62	21.0	23.4	25.8	29.1	32.3
Ca (kg)	6.72	87.4	97.5	107.6	121.0	134.5
S (kg)	2.38	31.0	34.6	38.2	42.9	47.7
Fe (kg)	0.92	12.0	13.4	14.8	16.6	18.5
Mg (kg)	0.58	7.6	8.5	9.4	10.5	11.7
Cu (g)	0.0031	40.0	44.6	49.2	55.4	61.5
Zn (g)	0.0192	250.0	278.8	307.7	346.2	384.6
B (g)	0.0007	8.8	9.8	10.8	12.2	13.5
Mn (g)	0.0131	170.0	189.6	209.2	235.4	261.5
Organic matter (kg)	30.00	390.0	435.0	480.0	540.0	600.0

Application: Apply using a belt spreader

Application rate: A typical application may be between 1-2t/ha, depending on soil testing and advice from BioAg Agronomists

Storage and Handling: No special storage requirements

Additional information: Refer to your BioAg Pty Ltd advisor, the BioAg website is www.bioag.com.au

Distributed by:

BioAg Pty Ltd | 22-26 Twynam Street | Narranderra NSW 2700 | 02 6959 9911



BioAg Cherry Fertility Program

Period	Soil application	Qty per Ha	Foliar Application	Qty per Ha
Pre Budburst Late July- early August	Soil & Seed Cherry Blend	8-10L 1.5-2.0T		
Budburst-Flowering August- September 1-2 Applications 28 day interval	Soil & Seed Calcium Nitrate	1.5L 10kg	Balance & Grow	1.5L
Fruit Development October 1 Application	Soil & Seed Calcium Nitrate	2.0L 15-20Kg	Fruit & Balance	2.0L
Fruit Maturation (colour change) Early November- Early December 2 Application 28 day interval	Soil & Seed Tech MAP	3.0L 10Kg	Fruit & Balance	3.0L
Post Harvest January 2 Applications 28 day interval	Soil & Seed Calcium Nitrate	3.0L-4.0L 10-15Kg		