

BioAgSOP

(0-0-41.5-18)

Organically certified K & S fertiliser
K 41.5% : S 18%

DELIVER POTASSIUM AND SULPHUR
IN A CERTIFIED ORGANIC FORM

TYPICAL ANALYSIS (DRY WEIGHT)

Component	Level
Potassium Sulphate (K_2SO_4)	93 %
Other Sulphates ($MgSO_4$, $CaSO_4$)	3 %
Chlorides *KCl, NaCl)	1.4 %
Others (mainly Water of Crystallisation)	2.6 %

APPLICATION

Mechanised spreading such as belt spreader.
Bulk blending and manual application.
Risk of blow under windy conditions.

APPLICATION RATE

Typically between 100-600 kg/ha.
Consult with your BioAg agronomist or distributor.

COMPATIBILITY

Consult with your BioAg agronomist or distributor.

WEIGHT [TONNE] - CHECK INVOICE

This label complies with the Fertiliser Industry Code of Practice for Fertiliser Description and Labelling.

PARTICLE SIZE (TYPICAL ANALYSIS)

Tyler Mesh +5 (>4mm)	3	%
Tyler Mesh 9-5 (2-4mm)	89	%
Tyler Mesh -9 (<2mm)	8	%
SGN	280	

PHYSICAL DESCRIPTION

Solid, light grey, crystalline powder.

STORAGE & HANDLING

Keep cool. Store in a well ventilated area. Ensure good ventilation of work station.

ADDITIONAL INFORMATION

Refer to your BioAg Pty Ltd advisor, www.bioag.com.au, or the SDS.

WARNING STATEMENTS

Do not swallow. The dust from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin. This product contains heavy metal impurities. Its use may lead to an accumulation of cadmium in the soil. Depending on soil characteristics, irrigation water quality, plant species & variety, crop uptake of cadmium may exceed the maximum limits allowed in FSANZ Food Standards Code. In pastures, the offal from grazing animals may also exceed these limits. This product contains fluorine as an impurity. Do not feed this product to livestock or use in stock feed mixtures. If top dressing pastures do not graze for 3 weeks or until rain or irrigation is received. Users are encouraged to seek further advice.

DISTRIBUTED BY

BioAg Pty Ltd
22-26 Twynam St Narrandera NSW 2700